

Compa	ny Name:			Quotation No):	Order No.	7)5
Deliver	ry Address:					Page Page	of	
2000	Invoice Address)					1000 100 1000	and the second	
						Ordered C	5/2/8	
						DEL / CO)L On:	
Cust Re	ef:					Payment I	Due:	
A I	RATED C	RATED	'VIEW	/ED FR	OM C	UTSII	DE'	1
PROFIL	LE 70MM EUROL	OGIK BEAT	DING: INTERNAL	EXTERNAL		GLAZED	UNGLAZ	ŒD
COLOU								
WHITE	ROSEWOOD L	GOLD, OAK IR	RISH OAK CREAM W	VHITE ASH	COLOUR:	NE tress	At White-Control and	WHITE
QTY.	LOC.	W:	Wide Outer: None / Head /	/ All Glass:	NO 181 184 184		ige: Std/E.C-90°/Rst/Tri	
		Ht(inc.cill):	Doc Q Specification: Y /	N Low E:	Y / N		king: Std / Shootbo	
		Trans Drop:	Outer: Std / Ovolo	Argon:	Y / N	3.00	Vent: None / Sash / Size: 2000 / 4000	
		Mull Width:	Sash: Std / Ovolo	Tough:	Y / N		d-On: Y / N: 15 / 25	
		Sizes to inc. Add Ons	Bead: Std / Ovolo	Spacer: SI	v / Wht / G		:: Side L /Side R / To	
VI	EWED OUTSIDE		Hdl Col: Wht /Gld /Chr /Slv	/ /Blk Swiss Spa	icer: Gry/W	ht / Blk Cill:	: F/D / 85 / 150 / 1	180/
ADDITION	IAL INFO:	·····						
QTY.	LOC.		No. of the second	/ All Glass:		Hing	ge: Std/E.C-90°/Rst/Tri/	i/Mega/SBD
·		W: u.g. :10			Y / N	Loci	king: Std / Shootbo	olt
		Ht(inc.cill):		Argon:	Y / N		ent: None / Sash /	
		Trans Drop:		Argon: Tough:	Y / N		ize: 2000 / 4000	E
		Mull Width:	— Sash: Std / Ovolo			Add	d- On : Y / N : 15 / 25 :: Side L /Side R / Top	
	11911	Sizes to inc. Add Ons	Bead: Std / Ovolo	Cusion Com				
ADDITION	EWED OUTSIDE	<u> </u>	Hdl Col: Wht /Gld /Chr /Slv	/Blk	acer: Gry/W	Cill:	: F/D / 85 / 150 / 1	80/
ADDITIO.	AL INFO:							
QTY.	LOC.	W:	Wide Outer: None / Head /	All Glass:	101 No. 101 HZ	Hinç	ge: Std/E.C-90°/Rst/Tri,	/Mega/SBD
	<u></u>	Ht(inc.cill):	Doc Q Specification: Y /		Y / N	Lock	king: Std / Shootbo	olt
		Trans Drop:	Outer: Std / Ovolo	Argon:	Y / N	10 • 10 mm	ent: None / Sash /	
		Mull Width:	Sash: Std / Ovolo	Tough:	Y / N			
			Bead: Std / Ovolo	Spacer: SI		Add	I-On: Y / N: 15 / 25 : Side L /Side R / Top	
VI	EWED OUTSIDE	Sizes to inc. Add Ons	Hdl Col: Wht /Gld /Chr /Slv	Ci C	acer: Gry/ W	/L+ / DII.	: F/D / 85 / 150 / 1	
ADDITION		<u> </u>	[,,,,	/ i		1	F/D / 65 / 10- / .	80/
Furthe	r information:							***************************************
				DAMES PROGRAMME STOCKES STOCKES SWOODS			Cash / Cho	4 / CC
				Control 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	e halance wi		ance: £	<u> </u>
All and the second) balance m.	II be para	full by the due date:	ß
If none	of the above specin	ications are selected, w	ve will take as STANDARD	Signed	U 10 U 10		Date	<u> </u>





Company Name:		Quotation No:			der No.					
Delivery Address:							Pag	ge of		
(If not Invoice Add										
	rdered On:									
	DEL / COL On:									
Cust Ref:							Pay	ment Due:		
DOC Q			- 'VII	WED F	RC	M OUT	SIDE	,		
BEADING	GLASS	BEAD	SASH	OUTER FRAM		LOCKING		PROFILE SUITE		
INTERNAL	GLAZED	☐ STD	П	stp Г	╗	2 HOOK	\neg			
INTERNAL	GLAZED	<u> </u>	Ш	310		2 HOOK		70 mm EUROLOGIK		
EXTERNAL	UNGLAZED	OVO	-o	ovoro [HANDLE TO SLA	VE	70 mm EUROLOGIK 🗗		
COLOUR										
WHITE ROSEV	WOOD GOLD. O	AK IRISH	OAK C	CREAM W	/HITE /		DESCRIPTION OF THE	ON WHITE		
Qty. 1. Loc.	W:		Glass:		T/S H	ldl Type: L/Lever	/ L/Pad	Cill: F/D / 85 / 150 / 180 /		
			Low E:	Y / N	H	ldl Col: Wht /Gld /Cl	ır /Slv /Blk	Add-On: Y / N: 15 / 25 / 50 Loc: Side L / Side R / Top / Bottom		
	H (inc. cill):_		Argon :	Y / N	H	landle Operated Slav	e: Y / N			
	Trans Drop:_	-23-42-31-43-4 1	Spacer: SIv	/ Wht / Gld / Br	z H	linge: Flag		Low Thresh: PVCu / Ali / Gold With Part M Ramp: Single / Double		
	Mull Width:		Swiss Spacer	: Gry / Wht / Blk	, F	linged: Left / I	Right	Letter Box: Wht /Gld /Chr /Slv /Blk		
			Panel:		_ '	Opens: In /	Out	T.Vent: None / Sash / Frame		
VIEWED OUTSI	DE Midr. Height:		Master: Left / Right			Right	Size: 2000 / 4000 Locking: Std / Shootbolt			
General Comments:								Coupler: None/2mm H-Coupler/10mm Ali		
Qty. 1. Loc.				P2	I	Hdl Type: L/Lever	/ L/Pad	Cill: F/D / 85 / 150 / 180 /		
	W:	<u> </u>				Hdl Col: Wht /Gld /C	hr /SIv /BIk	Add-On: Y/N: 15/25/50		
	H (inc. cill):	Low E: Y / N		ı	Handle Operated Slave: Y / N		Loc: Side L / Side R / Top / Bottom			
	Trans Drop:_	<u>01 % % 10 /02)</u>		Y / N / Wht / Gld / Brz		Hinge: Flag		Low Thresh: PVCu / Ali / Gold With Part M Ramp: Single / Double		
	Mull Width:_		Swiss Spacer	: Gry / Wht / Blk	ı	Hinged: Left /	Right	Letter Box: Wht /Gld /Chr /Slv /Blk		
			Panel:	W ss ss Vn Vs	_ '	Opens: In /	Out	T.Vent: None / Sash / Frame		
VIEWED OUTSI	DE Midr. Height:		-		_ 1	Master: Left /	Right	Size: 2000 / 4000 Locking: Std / Shootbolt		
General Comments:								Coupler: None/2mm H-Coupler/10mm Ali		
Qty. 1. Loc.	laner.			31-		ldl Type: L/Lever	/ L/Pad	Cill: F/D / 85 / 150 / 180 /		
	W:		Glass:		T/S H	Idl Col: Wht /Gld /Cl	nr/Slv/Blk	Add-On: Y / N: 15 / 25 / 50		
	H (inc. cill):			Y / N	H	landle Operated Slav	e: Y / N	Loc: Side L / Side R / Top / Bottom		
OF FORWARD AND AND AND AND AND AND AND AND AND AN	Trans Dran-			Y / N	H	linge: Flag		Low Thresh: PVCu / Ali / Gold		
	nuns biop			/ Wht / Gld / Brz	١.		Right	With Part M Ramp: Single / Double		
	Mull Width:_			: Gry / Wht / Blk			Out	Letter Box: Wht /Gld /Chr /Slv /Blk T.Vent: None / Sash / Frame		
VIEWED OUTSI	 DE Midr. Height:		Panel:	<u> </u>		25 25		Size: 2000 / 4000		
General Comments:	1000		-	* # # # #	_ ^	Master: Left /	Right	Locking: Std / Shootbolt		
	Parameter 114		R/a gogse Associate		protes	. Dec		Coupler: None/2mm H-Coupler/10mm Ali		
Minimum transom dro	op 375 mm / Fire Escape	- Minimum Mu	llion Width 6	20mm If non	ne of th	ie above specificat	ions are s	elected, we will take as STANDARD		
Gross Inc. V.A.T.: £_	17. 19. SP 20. 29. 19. 32	Cash / Chq	/ CC / De	bit	l agre	e that the balance	will be pa	id in full by the due date:		
Deposit: £	Balance:	£	All 8823		Signe	d	Gr (U 10	Date		





Company Name: Delivery Address: (If not Invoice Address) Cust Ref: A RATED CRATED DOC Q*VIEV BEADING GLASS BEAD SASH OUTER FRAME	On Different Points	order No. age of rdered On: L / COL On:	
Cust Ref: A RATED CRATED DOC Q*VIEV	Oi DE Po	rdered On: L / COL On: Lyment Due:	
A RATED CRATED DOC Q'VIEV	DE	EL / COL On:	
A RATED CRATED DOC Q'VIEV	Po	yment Due:	
A RATED CRATED DOC Q'VIEV		ESTA	
	VED FROM		
BEADING GLASS BEAD SASH OUTER FRAME		M OUTSIDE'	
1 1	LOCKING	PROFILE SUITE	
INTERNAL GLAZED STD STD STD	STANDARD		
EXTERNAL I I LUNGLAZED I I I I OVOLO I I OVOLO I I I	HANDLE TO SLAVE	70 mm EUROLOGIK	
COLOUR			
WHITE ROSEWOOD GOLD. OAK IRISH OAK CREAM WHITE ASH If none of the above specifications are selected, we will take as STANDARD ROOF REQ		ON WHITE YES See Roof Order Form	
Minimum transom drop 375 mm / Fire Escape – Minimum Mullion Width 620mm	estres example	YES See Roof Order Form	
FRAME DRAWING: OUTSIDE VIEW	Location:		
1 2 3 4 5	6	7 8	
WIDTH IN MM: INTERNAL FRAME SIZES ONLY			
DOORS WINDOWS WINDOWS / DOORS	Cill Layou	t (Including All Angles)	
	3		
Height (inc cill): Trans Drop: Low E: Y / N			
Trans Drop: Mullion Width: Argon: Y / N			
Mullion Width: Hinge: Std/EC -90°/Rst/Tri/Mega/SBD Tough: Y / N			
Midrail Height: Hdl Col: Wht/Gld/Chr/Slv/Blk Spacer: Slv / Wht / Gld / Brz			
Hdl Col: Wht /Gld /Chr /Slv /Blk Size: 2000 / 4000	-		
Hdl Col: Wht /Gld /Chr /Slv /Blk Bize: 2000 / 4000 Locking: Std / Shootbolt Add on: Y / N Sizo: 15 mm / 25mm / 50mm			
Hdl Col: Wht /Gld /Chr /Slv /Blk Hinge: Flag Hinged: Left / Right Size: 2000 / 4000 Locking: Std / Shootbolt Large Outer: Y / N Large Outer: Y / N Large Outer: Y / N	aht		
Hdl Col: Wht /Gld /Chr /Slv /Blk Hinge: Flag Hinged: Left / Right Size: 2000 / 4000 Locking: Std / Shootbolt Large Outer: Y / N Large Outer: Y / N Location: Top / Bottom / Left / Right	ght		
Hdl Col: Wht /Gld /Chr /Slv /Blk Hinge: Flag Hinged: Left / Right Size: 2000 / 4000 Locking: Std / Shootbolt Large Outer: Y / N Size: 15 mm / 25mm / 50mm Location: Top / Bottom / Left / Right	-		
Hdl Col: Wht /Gld /Chr /Slv /Blk Hinge: Flag Hinged: Left / Right Opens: In / Out Low Threshold: PVCu / Ali /Gld Part M Ramp: Single / Double Size: 2000 / 4000 Locking: Std / Shootbolt Large Outer: Y / N Reinforcement: STD / Full Poles: Variable Angle / 90 Deg Coupler:	j		
Hdl Col: Wht /Gld /Chr /Slv /Blk Hinge: Flag Hinged: Left / Right Opens: In / Out Low Threshold: PVCu / Ali /Gld Part M Ramp: Single / Double Coupler: None / 2mm H / 10mm Ali Size: 2000 / 4000 Add on: Y / N Size: 15 mm / 25mm / 50mm Location: Top / Bottom / Left / Rig Poles: Variable Angle / 90 Deg Cill: Stub / 150mm / 180mm / F/	j		
Hdl Col: Wht /Gld /Chr /Slv /Blk Hinge: Flag Hinged: Left / Right Opens: In / Out Low Threshold: PVCu / Ali /Gld Part M Ramp: Single / Double Size: 2000 / 4000 Locking: Std / Shootbolt Large Outer: Y / N Reinforcement: STD / Full Poles: Variable Angle / 90 Deg Coupler:	/D	ice will be paid in full by the due date:	





ΕU

Company Name:			Quotation No:	Order No.
Delivery Address:				Page of
(If not Invoice Address)				Ordered On:
				DEL / COL On:
Cust Ref:				Payment Due:
		WEWED EDO	M OUTSIDE	·
3/04/04/04/04/04/04/04/04/04/04/04/04/04/	Base Se se			Section (Control of Control of Co
Standard Specification	Internally Beaded	Factory Glazed	Factory Tensioned	STD V/S Cill Ovolo Suite
Colour Options: WHITE ROS	SEWOOD G	OLDEN OAK	IRISH OAK	CREAM WHITE ASH
enestration enestration		and application of the design of the second		
18mm Geo Bar INSIDE	unit only	25mm Ge	o Bar INSIDE unit with S	Stick on Geo Bar Externally Only
25mm Geo Bar INSIDE	unit only	Full Stick on Geo Bar	INSIDE + OUTSIDE wit	th Duplex Spacer Bar INSIDE UNIT
Qty. 1. Lec.	W: H (inc. cill): Trans Drop: Mull Width: W: H (inc. cill):	Low E Glass: Y / N Argon: Y / N Lower Tough: Y / N Top Tough: Y / N Glass:	Travel Restrictors T. Vent: None / Here Additional Information Furniture Col: Wht / G	Extra Cill Projection 180 / 21 Decorative Horns: Y / N Spacer: Slv / Wht / Gld / Brz
	Mull Width:	Lower Tough: Y / N Top Tough: Y / N	T. Vent: None / Hea	ad Vent Swiss Spacer: Gry / Wht / BII
Qty. 1. Lec.	H (inc. cill): Trans Drop: Mull Width:	IECI V / N	Travel Restrictors	Decorative Horns: Y / N Spacer: Slv / Wht / Gld / Br: Swiss Spacer: Gry / Wht / Bll
Further information:			Deposit: £	Cash / Chq / CC / Debit Balance: £ ce will be paid in full by the due date: Date



If none of the above specifications are selected, we will take as STANDARD



Delivery	/ Date	Required:	
フロロックロッ	/ Date	Neuuli eu.	

Company Name:	Order No.		
Delivery Address: (If not Invoice Address)	Page of		
	Ordered On:		
	DEL / COL On:		
Cust Ref:	Payment Due:		

------ 'VIEWED FROM OUTSIDE' ------

SPECIAL INSTRUCTIONS Internal Dimensions to be given to all layouts above

Gross Inc. V.A.T.: £	Cash / Chq / CC / Debit
Deposit: £	Balance: £
l garee that the balance wi	ll be paid in full by the due date:





Company Name:		Quotation No:	Order No.
Delivery Address: (If not Invoice Address)			Page of
(II not invoice Address)			Ordered On:
			DEL / COL On:
Cust Ref:			Payment Due:
QTY:	Low E: Y/N Tough: Y/N	Spacer: Silv / Wht / Gld / Brnz Swiss Spacer: Grey / Wht / Blk Georgian Bar: 18mm / 25mm Lead: Square / Diamond Other:	Additional Info / Layout:
QTY:	Clear/Pattern: Low E: Y / N Tough: Y / N Argon: Y / N	Spacer: Silv / Wht / Gld / Brnz Swiss Spacer: Grey / Wht / Blk Georgian Bar: 18mm / 25mm Lead: Square / Diamond Other:	Additional Info / Layout:
QTY: Width: Height:	Clear/Pattern: Low E: Y / N Tough: Y / N Argon: Y / N	Spacer: Silv / Wht / Gld / Brnz Swiss Spacer: Grey / Wht / Blk Georgian Bar: 18mm / 25mm Lead: Square / Diamond Other:	Additional Info / Layout:
QTY:	Clear/Pattern: Low E: Y / N Tough: Y / N Argon: Y / N	Spacer: Silv / Wht / Gld / Brnz Swiss Spacer: Grey / Wht / Blk Georgian Bar: 18mm / 25mm Lead: Square / Diamond Other:	Additional Info / Layout:
QTY:	Clear/Pattern: Low E: Y / N Tough: Y / N Argon: Y / N	Spacer: Silv / Wht / Gld / Brnz Swiss Spacer: Grey / Wht / Blk Georgian Bar: 18mm / 25mm Lead: Square / Diamond Other:	Additional Info / Layout:
QTY:	Clear/Pattern: Low E: Y / N Tough: Y / N Argon: Y / N	Spacer: Silv / Wht / Gld / Brnz Swiss Spacer: Grey / Wht / Blk Georgian Bar: 18mm / 25mm Lead: Square / Diamond Other:	Additional Info / Layout:
Gross Inc. V.A.T.: £	Cash / Chq / CC /	Debit I agree that the balance wil	l be paid in full by the due date:





Company Name:			Quotation No:	Order No.
Delivery Address: (If not Invoice Address)			1	Page of
(If not invoice Address,				Ordered On:
				DEL / COL On:
Cust Ref:				Payment Due:
	'VIEWE	D FROM	OUTSIDE'	
	AMENDMENT	OR	CANCEL	LATION
<u> </u>				
-				
-				
Internal Dimensions to be	e given to all layouts above		Cross Inc VAT. f	Cash / Chq / CC / Debit
				Cash / Chq / CC / Debit
			333443334343434343434343	ance will be paid in full by the due date:
			Signed	Date





UROLOGIK ORDER FORMS						Delivery Date Required:					
Company Name: Delivery Address: (If not Invoice Address)						Quotation No:		Order No.			
								Page of			
ii iioi iiivoice Au	uiessy							Ordered On	ı		
								DEL / COL	On:		
Cust Ref:								Payment Du	e:		
			'VIEW	ED FRO	MC	OUT	'SIDE'				
ROOFING SY	STEM (TYPE)	:				Gutter	Required	YES	NO _		
our REF		Polyco	ırbonate	CLEAR		BRON	√ZE	OPAL	HEATGAURD		
SLAZED	UNGLAZED	Glazi	ng 35M	M POLY		GLASS		Details:	N-4-X-X-4-6-8-8-8-8		
oof Details	WHITE	ROSEWO	OD	GOLDEN (DAK [COLOUR	?:	ON WHITE		
JRTHER INFORM	T	Quote Refe		OUTS ABOVE .			otal Price:		ON DRAWING		
lass Roof: C		e / Gree	n / Blue	Э		10.00		Q (/			
oof Pitch:						D	eposit:	£	7 7 7 7		
Aax Back Heig							ne due:		will be paid in full at the		
						Si	gned:	-2-17-27-21-10	Date:		





D !! D !		
Delivery Dat	e Keguired:	

Company Name: Your fax N					fax No.	Your phone no. Order No.						
										Page of		
200400000000000000000000000000000000000	Address voice Ad									Ordered On:		
										Delivery On:		
ORIGIN	AL OR	DER NO.			Ref					Original Due	Back By:	
Contact	Name):			'VIEWE	D FROM	OUTSIDI	Date Yo	υ Requ	ire Remake:		
Beading		Glass	Bead	Sash	Outer Frame	Gasket	Locking	Windows	Lo	cking Doors	Profile Suite	
Internal		Glazed] 🔲 s	тр 🔲	STD	Black	Qua	d 🔲	2 Ho	ok	70mm	
External	Ur	nglazed] 🗆 º	volo	Ovolo	Black	Qua	d 🔲	Doub	le Handle	EUROLOGIK 🛂	
FRAME	COLOUR	- WHITE	ROSE	WOOD	GOLDEN	OAK	IRISH O	ak c	OLOU	R:	ON WHITE	
Roof sy:	stem typ	e:		Special l	nstructions:							
Height f	or Wind	lows (Inclu	ding Cill)_		mm for Do	oors (No_)			mm Glass_		
Width_] mm	2 mr	n	3 _{mm} _		nm	5 mr	n _	6 _{mm}	7 mm	
Cill: Stub / 150mm / 180mm / F/D												
Item No's	Qty	Width	Height	Make-Up	Glass Pat (Clear/Pat	D0200408	ow E Y/N	TSG A	Argon Y/N	Spacer Bar Colour	Lead work / Georgian/ Special Information	
1												
2												
3							-+					
4												
INCORREC	CT ITEMS.		S THE ORIG	received I	I agree that the faulty item (s) will be returned with 28days and the remake has been received by the agreed date. Any discrepancies must be notified with 7 days. Print Name:							
THE INCORRECT ITEMS <u>MUST BE</u> RETURNED WITHIN THE <u>NEXT 28 DAYS</u> <u>OTHERWISE THIS ORDER WILL</u> <u>BE CHARGED FOR.</u>					Signed: _	Signed: Date: Confirmation						





		Order No.		
		Page	Page of	
Customer:		Ordered On: Date Req'd:-		
PANEL				
<u>Design</u>				
Colour				
Panel Thickness				
Backing Glass				
pacer Bar Colour				
Qty				
Re-Inforced				
I		1		
MMENTS_:-				

